# **DRYWALL CART**



- Heavy duty 8" casters (two rigid, one swivel and one swivel with brake).
- Material can be secured to the cart using hold-down straps (not included).
- Gray powder coat finish.

CODE	DIMENSIONS (L X W X H)	CAPACITY
DWC	48" x 22" x 49.5"	2,000 Lbs.

# **HEAVY-DUTY SHOP CART**



- Uses 8" casters, two rigid and two swivel with brake, rated at 1,000 lbs.
- Ratchet straps are included to secure load
- Pull handle mounted on one end for manoeuvrability
- Heavy duty powder coated finish for long lasting durability
- Rubber mounted on the bottom and upright supports

CODE	DIMENSIONS (L X W X H)	LOAD HEIGHT	CAPACITY
HDSC-8448	84" x 40" x 63"	48"	4,000 Lbs.



# **GROVES**



# SINGLE-SIDED SHOP CART



- 9" Ledge depth
- Heavy-duty powder coated finish
- Riveted rubber on uprights and base
- Complete with (2) 10" pneumatic tires and (2) 5" swivel brake casters

CODE	DIMENSIONS (L X W X H)	LOAD HEIGHT	CAPACITY
SSSC-4036	40" x 24" x 45"	36"	2,000 Lbs.

# TRANSPORT RACK - 10,000 LB. CAPACITY



- Designed for fabrication and transportation of products to the job site
- 10,000 lb. capacity designed to hold all sizes of slabs. The capacity of the TR-10 is reduced to 8,000 lbs. with the use of the CK-8000 caster
- Optional caster package consists of 8" diameter roller bearing wheels rated at 2,000 lbs. each. Two swivel casters with brakes on one end and two rigid on the other
- 4 hold down ratchet straps secure load
- 4 adjustable safety posts provide for safe removal of unstrapped loads that may shift unexpectedly
- Safety posts are stored at the end of the A-Frame during transport
- Durable galvanized finish

CODE	DIMENSIONS (L X W X H)	CAPACITY
TR-10	96" x 48" x 88" (99" w/ optional casters)	10,000 Lbs.

Economy transport racks, heavy-duty transport racks and replacements parts also available. Please contact us for more information.

60

#### **BUNDLE RACKS**



- CAPACITY: 6,000 lbs. per opening (3,000 lbs. per post evenly distributed)
- Rails designed with slots to hold 2 x 4's which protect the slab edges and the finish on the rails (2 x 4's not included)
- Rail Size: 11.25" x 5.5" x 60"
- Complete with 11" connector tube for butting rails together in a straight line for desired length
- Rails built with 2" square holes spaced 4" apart (10 holes). A steal plate
  with identical holes is welded and boxed inside the rail, 1" up from the
  hottom
- 2" square tube posts and 2" square rubber post caps to separate bundles and slabs
- Heavy-duty powder coated finish for storing small fabricated parts and cut-offs, standard size slabs and oversized size slabs
- Post options available in various heights

CODE	DIMENSIONS (L X W X H)	LOAD HEIGHT	CAPACITY
SSSC-4036	40" x 24" x 45"	36"	2,000 Lbs.

# **HEAVY-DUTY BUNDLE RACKS**



- Heavy duty powder coated outside rails are designed with slots to hold 2 x 4
- Store bundles or slabs up to 9,000 lbs. between posts
- Outside rails have 2.5" square holes spaced 5" apart on the top. A steel
  plate with identical holes is welded and boxed inside the rails, 1" up
  from the bottom.
- 2.5" square tube posts with 2.5" square rubber post caps are used to prevent scratches.
- Rails shipped with 11" connector tube for butting rails together in a straight line.
- Note: When assembled the overall usable height of the post is 5.5" less than listed. Example: A 72" post will be 66.5" above the top of the outside rail.
- Also available with longer rails for jumbo sized stone bundles!





# **FOLDABLE A-FRAMES**



- Base arms fold up for ease of shipping and storage when frames are not in use.
- Heavy duty powder coated finish.
- Ledge Length 20.5"
- 6" spread on top of A.

CODE	DIMENSIONS (L X W X H)	CAPACITY
FAF-60	60" x 60" x 58"	24,000 Lbs. (12,000 per side)

#### **FABRICATION TABLE**



- Rubber is mounted on top and the sides
- 4 heavy-duty 5" diameter swivel casters
- 4 operated foot-locks hold table in place and are adjustable up to  $1^{\prime\prime}$ to level uneven
- 2 built-in end clamps hold the tables together when using more than
- Heavy-duty powder coated finish
- Lay out complete kitchens by attaching the tables together lengthwise or by attaching them on a 90-degree angle.

CODE	DIMENSIONS (L X W X H)	CAPACITY
DT2560	60" x 25" x 42"	600 Lbs.

# **HEAVY-DUTY FABRICATION TABLE**



- CAPACITY: 600 lbs.
- Heavy-duty powder coated finish
- Made of .16 mm 6GA steel gauge
- Riveted rubber is mounted on the top of the table to protect material
- Complete with (4) 5" swivel casters and (4) operated foot-locks that are adjustable up to 1" to level uneven floor

CODE	DIMENSIONS (L X W X H)	CAPACITY
HDT84M	84" x 24" x 43"	600 Lbs.

# **ALUMINUM INSTALL CART**



- Complete with (4) 10" pneumatic casters, two swivel and two rigid with brake
- Wheels can rest on stair treads
- Comes with easy to use clamps to secure material to cart
- Neoprene rubber is mounted to base and upright to help protect material and support cut outs
- Lightweight and rust free aluminum frame
- Built with high ground-clearance for stairs, thresholds, and curbs

CODE	DIMENSIONS (L X W X H)	CAPACITY
AIC-36	36" x 24" x 23"	750 Lbs.



# **MISCELLANEOUS**

# **TOUEI KENZA PNEUMATIC AIR POLISHER**



- Truly made in Japan
- Long lasting compared to the competition
- Easy to handle

# **RAZOR BLADES**



- Premium grade
- Single edge

CODE	DESCRIPTION
TKW\$601	Touei Kenza Water Sander

#### **POLISHING WAX BARS**



- White Polishing
  Bar for Marble
- Black PolishingBar for Granite

CODE	QUANTITY
13RB01	100 pcs/box

# **FIBERGLASS SUPPORT RODS**




- Reinforced material
- Also available in Carbon Fiber

CODE	DESCRIPTION
BAP01	Black Polishing Bar
BAP02	White Polishing Bar

# CODEDESCRIPTIONLENGTHDIMENSION13FR32801Fiberglass Rodding328 Feet3/8"x 1/8"13CR32801Carbon Rodding328 Feet¼"x 1/8"

### **DRESSING STICKS**



- Coarse and Fine grit available
- Simple application to redress CNC or hand tools

CODE	GRIT	
A001	Fine	
A002	Coarse	

### **MASKS**



N95 Certified
 Dust Filter

CODE	QUANTITY
13M01	20 pcs/box